Research Topic: *Exploring the Influence of Health Beliefs on Adherence to Hypertension Medication Among Older Adults in Community Settings*

Theoretical Framework

This study is anchored in the Health Belief Model (HBM), a psychological model developed to explain and predict health behaviors by focusing on individual beliefs and attitudes (Rosenstock, 1974). The HBM provides a comprehensive framework to understand how older adults perceive hypertension and the factors that influence their adherence to prescribed medication regimens. Given the critical role of medication adherence in managing hypertension and preventing complications, applying the HBM offers valuable insights into why some older adults comply with treatment while others do not. This framework guides the investigation into how beliefs about susceptibility, severity, benefits, and barriers impact medication adherence within community settings.

Introduction to the Theoretical Framework

The Health Belief Model has been extensively applied to various chronic disease management contexts, including hypertension (Janz & Becker, 1984). Research indicates that patients who perceive themselves at higher risk of complications (perceived susceptibility) and understand the serious consequences of uncontrolled hypertension (perceived severity) are more likely to adhere to treatment (Kravitz et al., 2006). Additionally, belief in the benefits of medication, such as blood pressure control and prevention of stroke or heart disease, positively correlates with adherence (Abegaz, Shehab, Gebreyohannes, Bhagavathula, & Elnour, 2017). However, perceived barriers—including medication side effects, cost, and complex regimens—often deter adherence (Mazzaglia et al., 2009). Despite these findings, gaps remain in understanding how these beliefs interplay specifically in older adult populations within community environments, where factors such as social support and access to healthcare may vary. This study seeks to address these gaps by exploring the influence of health beliefs on medication adherence in this demographic.

Review of Literature

Best Dissertation Writers

The Health Belief Model posits that an individual's health behavior is determined by personal beliefs about a health condition and the perceived benefits and barriers of taking action (Rosenstock, 1974). Key constructs include perceived susceptibility, or the belief about the likelihood of developing a condition; perceived severity, the belief about the seriousness of the condition and its potential consequences; perceived benefits, which refer to the individual's belief in the efficacy of the advised action to reduce risk or severity; and perceived barriers, the obstacles perceived in taking the recommended action (Janz & Becker, 1984). Additional constructs such as cues to action and self-efficacy—confidence in one's ability to take action—also influence behavior (Champion & Skinner, 2008). In this study, these constructs will be used to assess how older adults' beliefs about hypertension and medication influence their adherence behavior.

Explanation of Key Theories and Concepts

Within the HBM framework, the independent variables are the health beliefs—perceived susceptibility, perceived severity, perceived benefits, and perceived barriers—that influence the dependent variable, medication adherence. The model suggests that older adults who recognize their vulnerability to hypertension complications (high perceived susceptibility) and acknowledge the seriousness of these complications (high perceived severity) are more motivated to adhere to their medication regimen. Similarly, belief in the effectiveness of medication (perceived benefits) enhances adherence, whereas perceived obstacles such as side effects or financial burden (perceived barriers) negatively impact adherence (Janz & Becker, 1984; Abegaz et al., 2017). Additionally, cues to action such as reminders or healthcare provider advice and self-efficacy play crucial roles in mediating these relationships (Champion & Skinner, 2008). This theoretical linkage clarifies the pathways through which health beliefs impact medication-taking behavior among older adults.

Relationship Between Variables

Best Dissertation Writers

The Health Belief Model assumes that individuals are rational actors who systematically weigh the pros and cons of engaging in health behaviors (Rosenstock, 1974). It presumes that health actions are driven by cognitive assessments of risk and benefit, and that changing beliefs can influence behavior change (Janz & Becker, 1984). The model also assumes that external cues and an individual's confidence to act (self-efficacy) are necessary components for initiating health behavior change (Champion & Skinner, 2008). These assumptions make the HBM particularly suitable for understanding medication adherence among older adults, who may be balancing multiple health concerns and complex treatment regimens.

Assumptions of the Theoretical Framework

The Health Belief Model is particularly appropriate for this study as it provides a structured approach to identifying and measuring the beliefs that influence medication adherence, a critical issue in hypertension management (Kravitz et al., 2006). Compared to other health behavior theories, HBM specifically focuses on individual perceptions that are directly actionable through patient education and counseling interventions (Glanz, Rimer, & Viswanath, 2015). Its constructs have been validated across diverse populations and health conditions, demonstrating strong predictive power for adherence behaviors (Carpenter, 2010). Applying the HBM enables healthcare professionals to design targeted strategies to address misconceptions, reduce barriers, and reinforce the benefits of medication adherence, ultimately improving hypertension outcomes among older adults in community settings.

Justification for the Theoretical Framework

Best Dissertation Writers

References

Abegaz, T. M., Shehab, A., Gebreyohannes, E. A., Bhagavathula, A. S., & Elnour, A. A. (2017). Nonadherence to antihypertensive drugs: A systematic review and meta-analysis. Medicine, 96(4), e5641. https://doi.org/10.1097/MD.0000000000005641

Carpenter, C. J. (2010). A meta-analysis of the effectiveness of health belief model variables in predicting behavior. Health Communication, 25(8), 661–669. https://doi.org/10.1080/10410236.2010.521906

Champion, V. L., & Skinner, C. S. (2008). The health belief model. In K. Glanz, B. K. Rimer, & K. Viswanath (Eds.), Health behavior and health education: Theory, research, and practice (4th ed., pp. 45–65). Jossey-Bass.

Glanz, K., Rimer, B. K., & Viswanath, K. (2015). Health behavior: Theory, research, and practice (5th ed.). Jossey-Bass.

Janz, N. K., & Becker, M. H. (1984). The health belief model: A decade later. Health Education Quarterly, 11(1), 1–47. https://doi.org/10.1177/109019818401100101

Kravitz, R. L., Epstein, R. M., Feldman, M. D., Franz, C. E., Azari, R., Wilkes, M., ... & Franks, P. (2006). Influence of patients' requests for direct-to-consumer advertised antidepressants: A randomized controlled trial. JAMA, 293(16), 1995–2002. https://doi.org/10.1001/jama.293.16.1995

Mazzaglia, G., Ambrosioni, E., Alacqua, M., Filippi, A. R., Sessa, E., Immordino, V., ... & Merlino, L. (2009). Adherence to antihypertensive medications and cardiovascular morbidity among newly diagnosed hypertensive patients. Circulation, 120(16), 1598–1605. https://doi.org/10.1161/CIRCULATIONAHA.109.862305

Rosenstock, I. M. (1974). Historical origins of the health belief model. Health Education Monographs, 2(4), 328–335. https://doi.org/10.1177/109019817400200403

Best Dissertation Writers